

FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5



**FIG. 6**




FIG. 7




FIG. 8








FIG. 9



**FIG. 10**








FIG. 12



**FIG. 13**







FIG. 15



**FIG. 16**







FIG. 17



**FIG. 18**

JMSML - Web Interface - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back

Forward

Stop

Home

Search

Media

Print

Zoom

Fullscreen

Help

Address

http://172.18.46.49:7001/jmstesthelpers/jmsml

URL

://

URL

://

localhost

:

7001

Username:

system

Password:

gumby1234

XML File:

Open above XML file

OR Enter Operations

Please select any type of URL specification and type in the XML operation element to execute JMS functions.

<?xml version="1.0" encoding="UTF-8"?>

<DOCTYPE test PUBLIC "-//BEA Systems

Inc/JMS Test Specification 1.0

JMSTest/EN" "jmsTest.dtd">

<test

Name="JMSServer\_conf\_add\_default\_norm3"

Verify="false">

<operation Class="mbean"

Targets="myserver"

Type="JMSServer" Name="newBE3"

BytesMaximum="1024"

BytesThresholdHigh="512"

BytesThresholdLow="64"

MessagesMaximum="100"

MessagesThresholdHigh="50"

MessagesThresholdLow="10">Add</operation>

</operation Class="mbean"

Type="JMSServer"

Name="newBE3">List</operation>

</operation Class="mbean" Type="Queue"

Server URL : t3://172.18.46.49:7001

Output

JMServer : newBE3 was added to

server : myserver !

Name = newBE3

Targets [0] = 1024

BytesMaximum = 512

BytesThresholdHigh = 64

BytesThresholdLow = 100

MessagesMaximum = 50

MessagesThresholdHigh = 10

-----

Queue Destination : newQ3 was added to

JMServer : newBE3 !

Name = newQ3

JNDIName =

qa.jms.destination.newQ3

JMSServer = newBE3

StoreEnabled = default

Type = Queue

BytesMaximum = -1

BytesThresholdHigh = -1

BytesThresholdLow = -1

MessagesMaximum = -1

MessagesThresholdHigh = -1

Save execution as Test

test

Server URL : t3://172.18.46.49:7001

Verbose

Processing data file...../jms6958.xml

<test

Test name : test

Name="JMSServer\_conf\_add\_default\_norm3"

Verify="false">

<operation

BytesMaximum="1024"

BytesThresholdHigh="512"

BytesThresholdLow="64"

Class="mbean"

MessagesMaximum="100"

MessagesThresholdHigh="50"

MessagesThresholdLow="10"

Name="newBE3"

Targets="myserver"

Type="JMSServer"

>

Add

User : null

Password : null

Release : 6.0

Save Results

Verbose

Release: 6.0

Execute

Clear

Done

Internet

**FIG. 19**